



National and Kapodistrian  
University of Athens

Faculty of Pharmacy

Department of Pharmacognosy & Natural Products Chemistry

Panepistimiopolis Zografou

15771, Athens

Tel: +30 210 72 74052

magiatis@pharm.uoa.gr



Athens, 01/12/2024

Cert.Num: 2024-C00785

Analysis Date: 01/02/2024

## CERTIFICATE OF ANALYSIS

Owner: AEGEA & CO  
Variety: KORONEIKI  
Origin: SITIA LASITHI GREECE

### Chemical Analysis

Oleocanthal	155 mg/Kg
Oleacein	100 mg/Kg
Oleocanthal + Oleacein (index D1)	255 mg/Kg
Ligstroside aglycon (monoaldehyde form)	32 mg/Kg
Oleuropein aglycon (monoaldehyde form)	36 mg/Kg
Ligstroside aglycon (dialdehyde form)	116 mg/Kg
Oleuropein aglycon (dialdehyde form)	53 mg/Kg
Free Tyrosol	<5 mg/Kg
Total tyrosol derivatives	303 mg/Kg
Total hydroxytyrosol derivatives	189 mg/Kg
Total polyphenols analyzed	492 mg/Kg

### Comments :

The levels of oleocanthal are higher than the average values 135 mg/Kg respectively of the sample included in the international study performed at the University of California, Davis.

The daily consumption of 20 g of the analyzed olive oil provides 9.8 mg of hydroxytyrosol, tyrosol or their derivatives. Olive oils that contain >5 mg per 20 gr belong to the category of oils that protect the blood lipids from oxidative stress according to the Regulation 432/2012 of the European Union.

It should be noted that oleocanthal and oleacein present important biological activity and they have been related with anti-inflammatory, antioxidant, cardioprotective and neuroprotective activity.

The chemical analysis was performed according to the method published in J.Agric. Food Chem., 2012, 60 47 App 11696-11703, J.Agric. Food Chem., 2014 62 3 600-607 and OLIVAE, 2015, 122, 22-33.

\*Oleomissional+Oleuropeindial \*\*Ligstrodiol+Oleokoronal

\*Free tyrosol detected. Free tyrosol concentration is 284 mg/kg.

Magiatis Prokopios

**PROKOPIOS MAGIATIS**  
ASSOCIATE PROFESSOR  
UNIVERSITY OF ATHENS  
FACULTY OF PHARMACY  
DEPARTMENT OF PHARMACOGNOSY  
AND NATURAL PRODUCTS CHEMISTRY